

SAFETY DATA SHEET

PRODUCT NAME: GRUNTO SPRAY & WIPE

Issue Date: May 23

IDENTIFICATION

Product Name: Grunto Spray and Wipe
Other Names: Grunto
Product Code: KGSPRAY
Uses: All purpose household cleaner.
Supplier: HamChem Hamilton Chemicals Ltd, 75 Ruffell Rd, Hamilton
Phone: 079744971 Web: www.hamchem.nz Email: info@hamchem.nz

- In emergency dial 111, and then ask for Fire, Ambulance or Police as necessary.
- In case of poisoning phone National Poisons Centre – 0800 764 766

HAZARD IDENTIFICATION



GHS Classifications

Flammable Liquids – Category 4
Acute Toxicity (Oral) – Category 4
Acute Toxicity (Inhalation) – Category 4
Serious Eye Damage – Category 1
Skin Corrosion – Category 1C
Hazardous to the Aquatic Environment (Acute) – Category 1

Signal Word: DANGER

Hazard Statements:

H227 – Combustible Liquid
H302 – Harmful if swallowed
H332 – Harmful if inhaled
H318 – Causes serious eye damage
H314 – Causes severe skin burns and eye damage
H400 – Very toxic to aquatic life

Prevention:

P210 – Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280 – Wear protective gloves/clothing and eye/face protection
P264 – Wash hands thoroughly after handling
P270 – Do not eat, drink or smoke when using this product
P261 – Avoid breathing dust/fume/gas/mist/vapours/spray
P273 – Avoid release to the environment

Response:

P370 + P378 – IN CASE OF FIRE: Use foam, dry chemical or water spray to extinguish
P301 + P330 + P331 – IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P312 – Call a POISON CENTRE or Doctor if you feel unwell.

Recommendations, suggestions or statements made in the bulletins are intended for the assistance of our customers. They are based upon our experience and judgement but must not be regarded as amounting to a legal warranty or as involving any liability on our part and must be read in conjunction with and subject to our Conditions of Sale which apply to goods supplied by us.

HamChem Ltd, 75 Ruffell Rd, Hamilton, New Zealand. Phone 07 974 4971 E-Mail - info@hamchem.nz Web: www.hamchem.nz

PRODUCT NAME: GRUNTO SPRAY & WIPE

P304 + P340 – IF INHALED: Remove person to fresh air and keep comfortable for breathing
P310 – Immediately call a POISON CENTRE or Doctor
P305 + P351 +P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P310 – Immediately call a POISON CENTRE or Doctor
P303 + P361 + P353 – IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water (or shower)
P363 – Wash contaminated clothing before reuse
P391 – Collect spillage

Storage:

P403 – Store in a well-ventilated place
P405 – Store locked up

Disposal:

P501 – Dispose of contents/container to an approved waste facility in accordance with local regulations

COMPOSITION & INFORMATION ON INGREDIENTS

Chemical Entity	CAS No.	Proportion (%)
Butyl Glycol Ether	111-76-2	<12%
Tetra Potassium Pyro Phosphate	7320-34-5	<2%
Nonyl Phenol Ethoxylate 9M	9016-45-9	<2%
Coco Dimethylamine Oxide	1643-20-5	<2%
Linear Alkylbenzene Sulphonic Acid	68584-22-5	<1%
Di-Limonene	5989-27-5	<1%
Ammonia	1336-21-6	<1%
Water		Balance

FIRST AID MEASURES**National Poison Centre – 0800 POISON (764 766)**

If swallowed: Rinse mouth. Do NOT induce vomiting. Call a Poison Centre or Doctor if you feel unwell.

If on skin: Take off contaminated clothing and wash before reuse. Wash skin with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

If inhaled: Remove to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms, call a Poison Centre or Doctor.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Immediately call a Poison Centre or Doctor.

FIRE FIGHTING MEASURES

Extinguishing media: Small fire: Use foam, dry chemical, carbon dioxide or water spray. Large fire: Use foam, fog or water spray. Do NOT use water jets.

Specific hazards: May be ignited by heat, sparks or flames. Vapours may form explosive mixtures with air. Vapours may travel to source of ignition and flash back. Most vapours are heavier than air and will spread along ground and will collect in low or confined areas (drains, basements, tanks). Many liquids are lighter than water. Containers may explode when heated. Fire may produce irritating, poisonous and/or corrosive gases. Vapours from run off may create an explosion hazard. May irritate or burn skin and eyes. Runoff from fire control or dilution water may pollute waterways. Vapours may cause dizziness or drowsiness. Avoid getting water inside containers.

Recommendations, suggestions or statements made in the bulletins are intended for the assistance of our customers. They are based upon our experience and judgement but must not be regarded as amounting to a legal warranty or as involving any liability on our part and must be read in conjunction with and subject to our Conditions of Sale which apply to goods supplied by us.

HamChem Ltd, 75 Ruffell Rd, Hamilton, New Zealand. Phone 07 974 4971 E-Mail - info@ hamchem.nz Web: www.hamchem.nz

PRODUCT NAME:**GRUNTO SPRAY & WIPE**

Special protective precautions & equipment: Self contained breathing apparatus and structural firefighter's uniform may provide limited protection. Immediately contact police or fire brigade. Keep unauthorized personnel away. Keep upwind and to higher ground. Ventilate enclosed spaces before entering. If safe to do so, move undamaged containers from fire area. Cool containers with flooding quantities of water until well after the fire is out. Eliminate all ignition sources (no smoking, flares, sparks or flames) within at least 25m – All equipment used in handling the product must be earthed. When any large containers (including rail and road tankers) are involved in a fire, consider initial evacuation for 500m in all directions.

ACCIDENTAL RELEASE MEASURES

Emergency procedures: Immediately contact police or fire brigade. Spill or leak should be isolated immediately for at least 15m in all directions. Keep unauthorized personnel away. Keep upwind and to higher ground. Consider initial downwind evacuation for at least 100m. Eliminate all ignition sources (no smoking, flares, sparks or flames) within at least 25m – All equipment used in handling the product must be earthed. Do not touch or walk through spilled material. Stop leak if safe to do so – Prevent entry into waterways, drains or confined areas. Vapour suppressing foam may be used to control vapours – Water spray may be used to knock down or divert vapour clouds.

Methods & materials for containment and clean up: Absorb with earth, sand or other non-combustible material. Use clean, non-sparking tools to collect absorbed material and place it into loosely covered metal or plastic labeled containers for later disposal. Seek advice on handling and disposal.

HANDLING & STORAGE

Handling advice: Keep away from heat/sparks/open flames/hot surfaces. Wear protective gloves/protective clothing/eye protection/face protection. Use only out doors or in a well-ventilated area. In case of inadequate ventilation, wear respiratory protection. Contaminated clothing should not be allowed out of the workplace. Avoid release into the environment. Collect spillage.

Storage advice: Keep container tightly closed. To maintain product quality, do not store in heat or direct sunlight. Keep in a dry, cool and well-ventilated place.

EXPOSURE CONTROLS & PERSONAL PROTECTION

Exposure standards: WES (Workplace Exposure Standards) have been set by Worksafe NZ for the following (Apr '22):

Butyl Glycol Ether: TWA: 25ppm/121mg/m³

Personal protective equipment: Use only out doors or in a well-ventilated area. In case of inadequate ventilation, wear respiratory protection. Wear protective gloves/protective clothing/eye protection/face protection.

PHYSICAL & CHEMICAL PROPERTIES

Appearance:	Light pink to purple liquid
Odour:	Strong cleaning solvent smell.
Specific Gravity:	1.0
Solubility in water:	Soluble
Flash point:	≥ 23°C - ≤ 60°C
Flammability limits:	N/A
Boiling point:	>35°C
Melting point:	N/A

STABILITY & REACTIVITY

Stability: Stable under normal operating conditions.

Recommendations, suggestions or statements made in the bulletins are intended for the assistance of our customers. They are based upon our experience and judgement but must not be regarded as amounting to a legal warranty or as involving any liability on our part and must be read in conjunction with and subject to our Conditions of Sale which apply to goods supplied by us.

HamChem Ltd, 75 Ruffell Rd, Hamilton, New Zealand. Phone 07 974 4971 E-Mail - info@ hamchem.nz Web: www.hamchem.nz

PRODUCT NAME: GRUNTO SPRAY & WIPE

Hazardous decomposition products: May release poisonous fumes when heated.

Hazardous polymerization: Will not occur.

Incompatibles: May react with some metals and alkalis.

Conditions to avoid: Keep away from heat/sparks/open flames/ hot surfaces. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

TOXICOLOGICAL INFORMATION

Toxicity data:

Oral: > 2556mg/kg (rat) LD50

Dermal: > 2060mg/kg (rat) LD50

Inhalation: >22.1mg/L LC50

ECOLOGICAL INFORMATION

Ecotoxicity (Aquatic & Terrestrial): Very toxic to aquatic life with long lasting effects.

Persistence & degradability: Rapidly degradable.

Bioaccumulative potential: N/A

DISPOSAL CONSIDERATIONS

Return to place of purchase for disposal. Be sure to consult with local authorities. Waste must be disposed of in accordance with local environmental control regulations.

Contaminated packaging: Where possible recycling is preferred to disposal or incineration of washed out containers.

TRANSPORT INFORMATION

Not considered Dangerous Goods for Transport (NZS5433)

REGULATORY INFORMATION

HSNO Classifications: 3.1E, 6.1D (o&i), 8.3A, 8.2C, 9.1A

EPA Approval: HSR002527 – Cleaning Products (Combustible, Corrosive) Group Standard 2020

OTHER INFORMATION

End of SDS.